



## China 608zz Bearing Supplier



6905 Bearing 2D drawings and 3D CAD models

### SKF/NSK/NTN/Koyo Bearing Na 6905 Needle Bearing

Bearing No. 6905

Size	25x42x9 mm
Bore Diameter	25 mm
Outer Diameter	42 mm
Width	9 mm
d	25 mm
D	42 mm
B	9 mm
C	9 mm
r min.	0,3 mm
da min.	27 mm
Da max.	40 mm
ra max.	0,3 mm
Weight	0,041 Kg
Basic dynamic load rating (C)	7 kN
Basic static load rating (C0)	4,55 kN
(Grease) Lubrication Speed	16000 r/min
(Oil) Lubrication Speed	19000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.044
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0



## China 608zz Bearing Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	25MM Bore; 42MM Outside Diameter; 9MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	6905
Weight / LBS	0.098
Outer Race Width	0.354 Inch   9 Millimeter
Bore	0.984 Inch   25 Millimeter
Outside Diameter	1.654 Inch   42 Millimeter
Bearing No.	6905
r(min)	0.3
Cr	8.75
C0r	4.55
Cu	0.230
f0	15.4
Grease lub.	16000
Oil lub.	19000



## China 608zz Bearing Supplier

da(min)	27
Da(max)	40
ra(max)	0.3
(Refer.)Mass(kg)	0.041